

### Main

Range Compatibility	Lexium SD3 Lexium ILS
Product or Component Type	Adaptation kit
Device short name	GBK
Accessory / separate part category	Adaptation accessory
Product Compatibility	ILS BRS3
Accessory / separate part destination	For assembly motor and gearbox
Kit composition	Screws and bolts for mounting A shaft end adaptor An adaptor plate
Gearbox external diameter	2.36 in (60 mm)

### Complementary

Motor flange size	2.24 in (57 mm)
Number of motor stacks	2 1
Length	0.79 in (20 mm)
Net Weight	0.44 lb(US) (0.2 kg)

### Ordering and shipping details

Category	18283-NEUGART GEARBOXES
Discount Schedule	PC53
GTIN	3606480397745
Returnability	No

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.15 in (8.0 cm)
Package 1 Width	6.38 in (16.2 cm)
Package 1 Length	7.01 in (17.8 cm)
Package 1 Weight	7.87 oz (223.0 g)
Unit Type of Package 2	S06
Number of Units in Package 2	50
Package 2 Height	28.94 in (73.5 cm)
Package 2 Width	23.62 in (60.0 cm)
Package 2 Length	31.50 in (80.0 cm)
Package 2 Weight	53.24 lb(US) (24.15 kg)


## Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
RoHS exemption information	<a href="#">Yes</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
PVC free	Yes

## Contractual warranty

Warranty	18 months
----------	-----------

Dimensions



(1) Gearbox

Ø8 shaft end adaptor in case motor shaft diameter is smaller than gearbox input coupling diameter

Values in mm

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
16.1	60	M5	66.7	14 x 6.35 x 20

Values in in.

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
0.63	2.36	M5	2.63	0.55 x 0.25 x 0.79