## SIEMENS

## Data sheet

## 6GK1901-1BB11-2AA0

product type designation product description

IE FC RJ45 Plug 180 (4x2)

RJ45 data connector

Industrial Ethernet FastConnect RJ45 plug 180 4x 2, RJ45 plug-in connector (10/100/1000 Mbit/s) with rugged metal enclosure and FC connection system, for IE FC TP cable 4x 2 (AWG24); 180° cable outlet 1 pack = 1 unit.

For connection to IE FC TP cables 4x2, suitable for fast assembly with



suitability for use

	the FastConnect system
transfer rate	
transfer rate / for Industrial Ethernet	10 Mbit/s, 100 Mbit/s, 1000 Mbit/s
interfaces	
number of electrical connections	
<ul> <li>for Industrial Ethernet FC TP cables</li> </ul>	1
<ul> <li>for network components or terminal equipment</li> </ul>	1
type of electrical connection	
<ul> <li>for Industrial Ethernet FC TP cables</li> </ul>	integrated cut-and-clamp contacts for 8-wire TP FC installation cable
<ul> <li>for network components or terminal equipment</li> </ul>	RJ45 connector
type of electrical connection / FastConnect	Yes
mechanical data	
material / of the enclosure	metal
number of reuses	10
locking mechanism design	other
design, dimensions and weights	
type of cable outlet	180° cable outlet
width	13.7 mm
height	16 mm
depth	55 mm
net weight	35 g
connectable cable cross-section	6.5 8 mm
connectable conductor cross-section	0.21 0.33 mm <sup>2</sup>
ambient conditions	
ambient temperature	
during operation	-40 +85 °C
during storage	-40 +85 °C
during transport	-40 +85 °C
relative humidity	
<ul> <li>at 25 °C / without condensation / during operation / maximum</li> </ul>	95 %
protection class IP	IP20
product features, product functions, product components /	
product feature	
PoE capability	Yes
PoE+capability	Yes
• silicon-free	Yes
product component	

6GK19011BB112AA0 Page 1/2 Subject to change without notice © Copyright Siemens

strain relief	Yes
standards, specifications, approvals	
certificate of suitability	
<ul> <li>RoHS conformity</li> </ul>	Yes
UL approval	Yes
<ul> <li>cULus approval</li> </ul>	Yes
<ul> <li>railway application in accordance with EN 50155</li> </ul>	No
standard for structured cabling	Cat6
further information / internet-Links	
Internet-Link	
<ul> <li>to web page: selection aid TIA Selection Tool</li> </ul>	http://www.siemens.com/tia-selection-tool
<ul> <li>to website: Industrial communication</li> </ul>	http://www.siemens.com/simatic-net
<ul> <li>to website: Industry Mall</li> </ul>	https://mall.industry.siemens.com
<ul> <li>to website: Information and Download Center</li> </ul>	http://www.siemens.com/industry/infocenter
<ul> <li>to website: Selection guide for cables and connectors</li> </ul>	https://sie.ag/2QdlxcP
<ul> <li>to website: Image database</li> </ul>	http://automation.siemens.com/bilddb
<ul> <li>to website: CAx-Download-Manager</li> </ul>	http://www.siemens.com/cax
<ul> <li>to website: Industry Online Support</li> </ul>	https://support.industry.siemens.com
last modified:	6/30/2021