



SENTRON, cylindrical fuse holder, 14x51 mm, 1P+N, In: 50 A, Un AC: 690 V

| Model | | |
|---|---------------------------|-------------------|
| product brand name | SENTRON | |
| product designation | Cylindrical fuse holder | |
| General technical data | | |
| number of poles | 2 | |
| design of pole | 1P+N | |
| size of fuse link | 14 x 51 mm | |
| Supply voltage | | |
| operating voltage | 690 V | |
| • at AC rated value | | |
| protection class IP | IP20 | |
| Mechanical Design | | |
| height | 90 mm | |
| width | 54 mm | |
| depth | 70 mm | |
| net weight | 234 g | |
| Certificates | | |
| reference code according to IEC 81346-2 | F | |
| General Product Approval | Declaration of Conformity | Test Certificates |

[Confirmation](#)



EG-Konf.



[Miscellaneous](#)

other

[Confirmation](#)

[Miscellaneous](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=3NW7151>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW7151>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=3NW7151


CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





last modified:

8/1/2022 

