SIEMENS

Data sheet 8WH9020-3EA00



Comb, 2-pole, fully insulated, fitted in the clamping sleeve and latched, for 240 $\,\mathrm{mm^2}$ terminals

Miscellaneous

Model		
product brand name		ALPHA
product designation		ALPHA FIX terminal blocks
design of the product		Jumper
Appearance		
color		grey
product feature insulated		Yes
number of bridged terminals		2
Mechanical Design		
fastening method		screwable
contact spacing		36 mm
net weight		150 g
General Product Approval	Declaration of Conformity	other

Confirmation

Further information

Confirmation

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH9020-3EA00

 ${\bf Service \& Support~(Manuals,~Certificates,~Characteristics,~FAQs,...)}$

https://support.industry.siemens.com/cs/ww/en/ps/8WH9020-3EA00

 $Image\ database\ (product\ images,\ 2D\ dimension\ drawings,\ 3D\ models,\ device\ circuit\ diagrams,\ ...)$

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH9020-3EA00

CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications

last modified: 5/24/2022 🖸