SIEMENS

Data sheet 8WH9020-6CL10

Connecting comb, for terminals with width 6.2 mm for cross links in the center of terminal, 10-pole, petrol





Model		
product brand name		LPHA
product designation		LPHA FIX terminal blocks
design of the product		umper
Appearance		
color		ed
product feature insulated		es
number of bridged terminals		0
Mechanical Design		
fastening method		luggable
contact spacing		.2 mm
net weight		0 g
General Product Approval	Declaration of Conformity	other

Confirmation





Confirmation

Miscellaneous

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH9020-6CL10

 ${\bf Service \& Support~(Manuals,~Certificates,~Characteristics,~FAQs,...)}$

https://support.industry.siemens.com/cs/ww/en/ps/8WH9020-6CL10

 $Image\ database\ (product\ images,\ 2D\ dimension\ drawings,\ 3D\ models,\ device\ circuit\ diagrams,\ ...)$

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH9020-6CL10

CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications

last modified: 5/24/2022 🖸