



terminal cover for busbar connections or on box terminal frame size S10 and S12 from 3RT1, 3RB2, 3RW4, 3RW507

product brand name
product designation
design of the product







SIRIUS
Covers for cable lug and busbar connections
Length 120 mm, for complying with the voltage clearances and as touch protection (2 units required per contactor), suitable for S6 and S12 as well as mounted box terminal/can be used for 3UF71.4-1BA00-0 or 3RW444.
07/01/2006

Substance Prohibittance (Date)


Certificates/ approvals

General Product Approval	EMC	Declaration of Conformity
 Confirmation		
		

Declaration of Conformity

Marine / Shipping					
					

Marine / Shipping other Railway

	Confirmation	Miscellaneous	Type Test Certificates/Test Report	Confirmation
---	------------------------------	-------------------------------	--	------------------------------

Further information

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>
 Siemens is working on the renewal of the current EAC certificates.
 Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).
Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT1966-4EA1>

Cax online generator

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT1966-4EA1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RT1966-4EA1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)


http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT1966-4EA1&lang=en

Characteristic: Tripping characteristics, I^t, Let-through current

<https://support.industry.siemens.com/cs/ww/en/ps/3RT1966-4EA1/char>

Further characteristics (e.g. electrical endurance, switching frequency)

<http://www.automation.siemens.com/bilddb/index.aspx?view=Search&mlfb=3RT1966-4EA1&objecttype=14&gridview=view1>



last modified:

12/23/2020 