


Comb, 3-pole, fully insulated, fitted in the clamping sleeve and latched, for 150 mm<sup>2</sup> terminals



Model	
product brand name	ALPHA
product designation	ALPHA FIX terminal blocks
design of the product	Jumper
Appearance	
color	grey
product feature insulated	Yes
number of bridged terminals	3
Mechanical Design	
fastening method	screwable
contact spacing	31 mm
net weight	195 g
<b>General Product Approval</b>	<b>Declaration of Conformity</b>
	other

[Confirmation](#)



[Confirmation](#)

[Miscellaneous](#)

### Further information

**Siemens has decided to exit the Russian market (see here).**

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

**Siemens is working on the renewal of the current EAC certificates.**

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH9020-3DA00>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/8WH9020-3DA00>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8WH9020-3DA00](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH9020-3DA00)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

last modified:

5/24/2022 

