
## **SIEMENS**

Data sheet 8WH9002-8AC10

Reducing comb from 6 mm<sup>2</sup> to 4 mm<sup>2</sup> and 2.5 mm<sup>2</sup> from screw to screw



Model			
product brand name		ALPHA	
product designation		ALPHA FIX terminal blocks	
design of the product		reducing comb	
Appearance			
color		red	
product feature insulated		Yes	
number of bridged terminals		2	
Mechanical Design			
fastening method		pluggable	
contact spacing		9.5 mm	
net weight		3 g	
General Product Approval	Declaration of Conformity	f	other

Confirmation





**Miscellaneous** 

Confirmation

## **Further information**

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH9002-8AC10

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/8WH9002-8AC10

 $Image\ database\ (product\ images,\ 2D\ dimension\ drawings,\ 3D\ models,\ device\ circuit\ diagrams,\ ...)$ 

http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=8WH9002-8AC10

**CAx-Online-Generator** 

http://www.siemens.com/cax

**Tender specifications** 

http://www.siemens.com/specifications

last modified: 8/1/2022 🖸