## SIEMENS

## Data sheet

## 8WH9200-0AD00



Screwdriver size: 1.0x 5.5 mm

| Model  |                              |             |       |  |
|--|------------------------------|-------------|-------|--|
| design of handle   |                              | 1-component |       |  |
| design of the screwdriver precision design               |                              | No          |       |  |
| design of screwdriver shaft                              |                              | straight    |       |  |
| shape of the screwdriver tip                             |                              | Pozidriv PZ |       |  |
| size of the screwdriver tip                              |                              | others      |       |  |
| product feature  |                              |             |       |  |
| antimagnetic   |                              | No          |       |  |
| <ul> <li>insulated</li> </ul>                            |                              | No          |       |  |
| <ul> <li>low spark</li> </ul>                            |                              | No          |       |  |
| <ul> <li>with protective insulation to 1000 V</li> </ul> |                              | No          |       |  |
| Mechanical Design  |                              |             |       |  |
| length of the screwdriver shank                          |                              | 150 mm      |       |  |
| General Product Approval                                 | Declaration of<br>Conformity | F           | other |  |

Confirmation EFFC Confirmation Confirmation

| urther info | rmation   |
|-------------|---|
|             | nas decided to exit the Russian market (see here).<br>ss.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business  |
| Please con  | s working on the renewal of the current EAC certificates.<br>Itact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply thes<br>o an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus). |
|             | n on the packaging<br>port.industry.siemens.com/cs/ww/en/view/109813875   |
|             | n- and Downloadcenter (Catalogs, Brochures,…)<br>.siemens.com/lowvoltage/catalogs   |
|             | Iall (Online ordering system)<br>.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH9200-0AD00  |
| Service&S   | Support (Manuals, Certificates, Characteristics, FAQs,)<br>port.industry.siemens.com/cs/ww/en/ps/8WH9200-0AD00  |
|             | abase (product images, 2D dimension drawings, 3D models, device circuit diagrams,)<br>automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH9200-0AD00  |
| CAx-Onlin   | e-Generator<br>siemens.com/cax  |
|             | ecifications<br>siemens.com/specifications  |

last modified:

12/19/2020 🖸