





- NOTES:
1. THIS ASSEMBLY FOR USE WITH BANNER VACUUM-COMPATIBLE FIBER OPTIC ASSEMBLIES.
 2. MATERIAL: T-303 STAINLESS STEEL WITH ELECTROPOLISH FINISH.
 3. MOUNTING HARDWARE INCLUDES (1) M8 X 1.25 SS JAM NUT AND (1) SS ITLW WASHER.
 4. O-RING TO BE ASI 112 SERIES (VITON).
 5. #4-40 (1/16" LONG) SS SET SCREWS (2) TO BE INSTALLED IN ASSEMBLY.
 6. HEX KEY (ALLEN WRENCH) TO BE INCLUDED.
 7. DO NOT OVERTIGHTEN.



- NOTES:
1. ALL DIMENSIONS ARE MILLIMETERS [INCHES] UNLESS OTHERWISE NOTED.
 2. REFER TO "www.bannerengineering.com" FOR ADDITIONAL DATA AND SPECIFICATIONS.

This drawing is the property of BANNER ENGINEERING CORP. Any use or reproduction, in any form, without prior written permission of Banner is prohibited. © 2015 Banner Engineering Corp.



| | | | |
|--------------------------------------|---------------|---------------------------|----|
| | | BANNER ENGINEERING CORP. | |
| | | www.bannerengineering.com | |
| TITLE | | | |
| VFT-M8 SS VACUUM FEED THROUGH | | | |
| SIZE | DRAWING NO. | REV. | |
| B | 161938 | A | |
| SCALE | SHEET | | OF |
| 2:1 | 1 | | 1 |